

Display Unit Report

Equipment ID: LBR 0000006005
Equipment Group: HOPP
Date and Time: 05/11/2017 - 10:28:27 AM EDT

Flags Legend	
Mandatory Value	
ETC-Gen	
Rating	

General

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Status Code	USCD		A	A - ACTIVE	
Mechanical Designation	UMMD		HTS	HTS - Hopper-Specially Equipped, 3 or more Compartments, Doors Hinged Crosswise, Dumping Between Rails	
Equipment Type Code	UMET		K345	K345	
Built Date	BLDT		19771201	12/01/1977	
Rebuilt / ILS Date	RBDT				
Owner	UMOW		SKRX	SKRX	
Lessee	LESE		BPRR	BPRR	
Maintenance Party	MNPT		SKRX	SKRX	
Mark Owner Category	B201		V	V - US Class III Railroad	
Prior Equipment ID	PRID		BPRR0000006005	BPRR0000006005	
Last Update Date	B122		20150829	08/29/2015	
Equipment Add Date	B082		20100817	08/17/2010	
Status Change Reason	USCR		M	M - Movement	
Status Change Date	USCT		20120115	01/15/2012	
Extended Service	A096		E	E - Built new from July 1, 1974, Qualified for 50 Years Service	
End of Service Date	B078		20271201	12/01/2027	
Equipment Identification	EINN		0000222679	0000222679	
Info Conflict Status	B355				
Conflict Status	B050				
Date of Original Conflict	B063				
Next Conflict Status	B135				
Notice Indicator	B137				
Conflict Status Next Date	B062				
Rate Indicator	A070		M	M - Railroad Market Rate	
Private Zero Rate	B150				
First Movement Date	USAT		20120112	01/12/2012	
Equipment Add Company	B083				
Registration Reason	B174		P	P - Pending Restencil	
Restencil Program Ind	B177				
Non-Compliant Wheelsets	B544				

Weight

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Gross Rail Load/Weight	A266		263000	263000 lb	
Tare Weight	A259		60700	60700 lb	
Load Limit	LDLT		202300	202300 lb	
Weighing Status	A289		A	A - Actual	
Weighing Date	A288		19861101	11/01/1986	
Cubic Feet Capacity	A067		3716	3716 cuft	
Star Code	A247				
Qual for Inc GRL	B344				

Dimension

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Plate Code	A046		B	B - Plate Code B	
Outside Length	OSLG		620	51 ft 8 in	
Outside Extreme Width	A186		127	10 ft 7 in	
Outside Extreme Height	A185		145	12 ft 1 in	
Outside Height Extr Width	A187		145	12 ft 1 in	
Outside Upper Eaves Width	A194		127	10 ft 7 in	
Outside Upper Eaves Hght	A193		145	12 ft 1 in	
Outside Lower Eaves Width	A190				
Outside Lower Eaves Hght	A189				
Truck Center Length	A276		470	39 ft 2 in	

Specification

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Truck Count	B256		2	2	
Axle Count	A024	● ■	4	4	
Wheel Bearing Type	B191	● ■	R	R - Roller	
Bearing Shielded From HBD	B021				
Brake Shoe Type	B026	●	H	H - High Friction Composite	
CC Side Bearing Type	A146				
Empty/Load Device Eqpd	B075				
Body Material	A030		19	19 - Standard Steel	
Center Of Gravity Empty	A045				
Remote Monitoring Device	B176				
AEI High Temperature Tag	B006				
Compartment Count	A052		4	4	
Degree of Slope Sheets	A071				
Unloading System Type	B220	▲			
Auto Unload Device Equip	B224				
Vibrator Bracket Equipped	B223				
Light Density	B124	▲			
Connected Unit Count	A020	■			
Intermediate Conn Style	B115				
Operating Brakes	A182				
ECP Brake Type	B327				
ECP Brake Builder	B328				
Slack Adjuster Group	B538				
Brake Cylinder Mount Type	B540				
Equipment Builder	A035				
Builder Lot Code	B030				
Built Country	B031				
Rebuilt Country	B170				
FRA Reflectorization	B096				
Bottom Outlet Count	B142		8	8	
Air Hose Arrangement	B524				
4-Port ABT Receiver Eqpd	B539				

Feature

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Lining Material	A158		28	28 - Unlined	
Roof Type	A226				

Cost

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Original Cost	A184		32700	32700 usd	
Ledger Value	A150		32700	32700 usd	
Total A&B	A003				
Ind for Pos/Neg Total A&B	A128				

Car Management

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Pool Number	P001	■	1549999	1549999	
Pool Control	TCPC		R	R	
User Routing Instructions	TCUR				
Umler Transportation Code	TCOD		R	R	
Transportation Cond Code	TCCD				
Mechanical Restriction	TCME				
Mech Restriction Reason	TCMR				
Sys Gen Routing Inst	TCGR				

Train Service

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Restricted Speed Empty	B180				
Restricted Speed Loaded	B181				
Shove Car To Rest	B189				
Shove Adj. Car To Rest	B188				

Train Position Sensitive	B211				
End of Train Only	B277				
Check Trailing Tonnage	B044				
Curve Negotiate Exception	B178				
Cooper Rating Exception	B273				
Clearance Exception	B275				

Miscellaneous

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Commercial Owner CIF	B049				
Commercial Lessee CIF	B048				
Umler Effective Date	EFDT		20100901	09/01/2010	

Inspection Due Dates

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
ABT Due Date	DU13		20170829	08/29/2017	
ABT 5-8 Year Due Date	DU58		20200801	08/01/2020	

Inspection Air Brake Test (ABT)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Air Brake Test Device	B523		A	A - Automatic (Non-4 Port)	
Inspection Date Done	DTDN		20150829	08/29/2015	
Inspection Performer	PERF		CSXT	CSXT	
Inspection Reporter	REPT		CSXT	CSXT	
Location/SPLC	SPLC		185400000	185400000	

Inspection Reflectorization Event (REF)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Inspection Date Done	DTDN		20150330	03/30/2015	
Inspection Performer	PERF		SB	SB	
Inspection Reporter	REPT		SB	SB	
Location/SPLC	SPLC		185400000	185400000	

Component Flat View

Element Name	Loc	ID	Flags	DB Value	Formatted Value	Conflict	Comp.
Axle Spacing Distance	01	B020	● ■	70	70 - 70 Inches in		AXLESPACE
Axle Spacing Distance	02	B020	● ■	70	70 - 70 Inches in		AXLESPACE
Truck Axle Count	B	B252	●	2	2		TRUCK
Truck Axle Count	A	B252	●	2	2		TRUCK
Journal Size	B	A147	● ■	F	F - 6-1/2 X 12		TRUCK
Journal Size	A	A147	● ■	F	F - 6-1/2 X 12		TRUCK
Wheel Diameter	B	A294	● ■	36	36 - 36 Inches		TRUCK
Wheel Diameter	A	A294	● ■	36	36 - 36 Inches		TRUCK
Stability Device Equipped	B	B199	■	Y	Y - Yes		TRUCK
Stability Device Equipped	A	B199	■	Y	Y - Yes		TRUCK
Coupler Code	B	A057					DRAFTSYS
Coupler Code	A	A057					DRAFTSYS
Coupler Style	B	B058	● ▲ ■	P	P - Plain		DRAFTSYS
Coupler Style	A	B058	● ▲ ■	P	P - Plain		DRAFTSYS
Inches of Travel	B	B061	■				DRAFTSYS
Inches of Travel	A	B061	■				DRAFTSYS
Draft Gear/Cushion Type	B	B073	● ■	S	S - Standard Draft Gear		DRAFTSYS
Draft Gear/Cushion Type	A	B073	● ■	S	S - Standard Draft Gear		DRAFTSYS