

Display Unit Report

Equipment ID: YARR0000000214
Equipment Group: GOND
Date and Time: 05/11/2017 - 10:57:02 AM EDT

Flags Legend	
Mandatory Value	
ETC-Gen	
Rating	

General

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Status Code	USCD		A	A - ACTIVE	
Mechanical Designation	UMMD		GBS	GBS - Gondola-Flat Bottom, Specially Equipped	
Equipment Type Code	UMET		E334	E334	
Built Date	BLDT		19671101	11/01/1967	
Rebuilt / ILS Date	RBDT				
Owner	UMOW		SKRX	SKRX	
Lessee	LESE		SH	SH	
Maintenance Party	MNPT		SKRX	SKRX	
Mark Owner Category	B201		V	V - US Class III Railroad	
Prior Equipment ID	PRID		JTSX0000000214	JTSX0000000214	
Last Update Date	B122		20170425	04/25/2017	
Equipment Add Date	B082		20040127	01/27/2004	
Status Change Reason	USCR		M	M - Movement	
Status Change Date	USCT		20080124	01/24/2008	
Extended Service	A096		C	C - Built New between January 1, 1964 - June 30, 1974, Certified for 50 Years of Service, Built New Before July 1, 1974 & Received AAR Waiver	
End of Service Date	B078		20171101	11/01/2017	
Equipment Identification	EINN		0000824770	0000824770	
Info Conflict Status	B355				
Conflict Status	B050				
Date of Original Conflict	B063				
Next Conflict Status	B135				
Notice Indicator	B137				
Conflict Status Next Date	B062				
Rate Indicator	A070		M	M - Railroad Market Rate	
Private Zero Rate	B150				
TTX Hourly Rate	B212				
TTX Mileage Rate	B213				
First Movement Date	USAT		20080124	01/24/2008	
Equipment Add Company	B083				
Registration Reason	B174				
Restencil Program Ind	B177				
Non-Compliant Wheelsets	B544				

Weight

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Gross Rail Load/Weight	A266		263000	263000 lb	
Tare Weight	A259		64100	64100 lb	
Load Limit	LDLT		198900	198900 lb	
Weighing Status	A289		A	A - Actual	
Weighing Date	A288		19871201	12/01/1987	
Cubic Feet Capacity	A067		2194	2194 cuft	
Star Code	A247				
Qual for Inc GRL	B344				

Dimension

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Plate Code	A046		B	B - Plate Code B	
Outside Length	OSLG		676	56 ft 4 in	
Outside Extreme Width	A186		127	10 ft 7 in	
Outside Extreme Height	A185		99	8 ft 3 in	
Outside Height Extr Width	A187		38	3 ft 2 in	
Outside Upper Eaves Width	A194		124	10 ft 4 in	
Outside Upper Eaves Hght	A193		99	8 ft 3 in	
Outside Lower Eaves Width	A190				
Outside Lower Eaves Hght	A189				
Inside Length	A135		616	51 ft 4 in	

Inside Width	A138	▲	114	9 ft 6 in	
Inside Height	A133	●▲	54	4 ft 6 in	
Truck Center Length	A276	■	520	43 ft 4 in	
Bulkhead Top Width	B038				
Bulkhd Height Abov Pltfrm	B035				

Door

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
End Door Width	A082				
End Door Height	A080				
Gondola with Drop Ends	B103	▲			

Specification

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Truck Count	B256		2	2	
Axle Count	A024	●■	4	4	
Wheel Bearing Type	B191	●■	R	R - Roller	
Bearing Shielded From HBD	B021				
Brake Shoe Type	B026	●	L	L - Low Friction Composite/Cast Iron	
CC Side Bearing Type	A146				
Empty/Load Device Eqpd	B075				
Body Material	A030		19	19 - Standard Steel	
Center Of Gravity Empty	A045	■	40	40 in	
Remote Monitoring Device	B176				
AEI High Temperature Tag	B006				
Floor Cradle/Trough Eqpd	A103				
Floor Cradle/Trough Orien	B093	▲			
Coil Steel/Alum. Loading	B132	▲			
Light Density	B124	▲			
Connected Unit Count	A020	■			
Intermediate Conn Style	B115				
Operating Brakes	A182				
ECP Brake Type	B327				
ECP Brake Builder	B328				
Slack Adjuster Group	B538				
Brake Cylinder Mount Type	B540				
Equipment Builder	A035				
Builder Lot Code	B030				
Built Country	B031				
Rebuilt Country	B170				
FRA ReflectORIZATION	B096				
Bottom Outlet Count	B142				
Air Hose Arrangement	B524				
4-Port ABT Receiver Eqpd	B539				

Feature

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Floor Material	A104	▲	19	19 - Standard Steel	
Gondola Floor Design	B094	▲			
Wood Racks Covering Floor	B233				
Lining Material	A158		28	28 - Unlined	
Bulkhead Type	B034				
Removable Cover Equipped	B060				
Lading Strap Anchor Eqpd	B121		Y	Y - Yes	
Tie Down Assembly Non-FA	B271				
Cross Bar Equipped	B268				
Roof Type	A226				

Cost

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Original Cost	A184		12612	12612 usd	
Ledger Value	A150		18963	18963 usd	
Total A&B	A003		6351	6351 usd	
Ind for Pos/Neg Total A&B	A128		P	P - Positive	

Car Management

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Pool Number	P001		7990034	7990034	
Pool Control	TCPC		R	R	
User Routing Instructions	TCUR				
Umler Transportation Code	TCOD		E	E	
Transportation Cond Code	TCCD		R	R	
Mechanical Restriction	TCME				
Mech Restriction Reason	TCMR				
Sys Gen Routing Inst	TCGR		E	E	

Train Service

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Restricted Speed Empty	B180				
Restricted Speed Loaded	B181				
Shove Car To Rest	B189				
Shove Adj. Car To Rest	B188				
Train Position Sensitive	B211				
End of Train Only	B277				
Check Trailing Tonnage	B044				
Curve Negotiate Exception	B178				
Cooper Rating Exception	B273				
Clearance Exception	B275				

Miscellaneous

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Commercial Owner CIF	B049				
Commercial Lessee CIF	B048				
Umler Effective Date	EFDT		20090501	05/01/2009	

Inspection Due Dates

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
ABT Due Date	DU13		20150227	02/27/2015	
ABT 5-8 Year Due Date	DU58		20190201	02/01/2019	

Inspection Car Grade Inspection (CGI)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Car Grade	CG01		B	B - B-Grade B	
Car Grade Inspection Date	CG02		20140227	20140227	
Car Grade Inspection Time	CG03		1317	1317	
Car Grade Location SPLC	CG04		381248000	381248000	
Car Grade Inspection SCAC	CG05		UP	UP	

Inspection Air Brake Test (ABT)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Air Brake Test Device	B523		M	M - Manual	
Inspection Date Done	DTDN		20140227	02/27/2014	
Inspection Performer	PERF		UP	UP	
Inspection Reporter	REPT		UP	UP	
Location/SPLC	SPLC		381248000	381248000	

Inspection Reflectorization Event (REF)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Inspection Date Done	DTDN		20151109	11/09/2015	
Inspection Performer	PERF		SKRX	SKRX	
Inspection Reporter	REPT		SKRX	SKRX	
Location/SPLC	SPLC		206299000	206299000	

Component Flat View

Element Name	Loc	ID	Flags	DB Value	Formatted Value	Conflict	Comp.
A&B Pos/Neg Ind	AB1	A316		P	P - Positive		ABIND
A&B Amount	AB1	A317		6351	6351 usd		ABIND
A&B Date Done	AB1	A319		20121211	12/11/2012		ABIND

A&B Type	AB1	A318		INIT	INIT - Initial load of historical A&B amount as of Umler 4.6 implementation date		ABIND
Axle Spacing Distance	01	B020	● ■	70	70 - 70 Inches in		AXLESPACE
Axle Spacing Distance	02	B020	● ■	70	70 - 70 Inches in		AXLESPACE
Truck Axle Count	B	B252	●	2	2		TRUCK
Truck Axle Count	A	B252	●	2	2		TRUCK
Journal Size	B	A147	● ■	F	F - 6-1/2 X 12		TRUCK
Journal Size	A	A147	● ■	F	F - 6-1/2 X 12		TRUCK
Wheel Diameter	B	A294	● ■	36	36 - 36 Inches		TRUCK
Wheel Diameter	A	A294	● ■	36	36 - 36 Inches		TRUCK
Stability Device Equipped	B	B199	■	Y	Y - Yes		TRUCK
Stability Device Equipped	A	B199	■	Y	Y - Yes		TRUCK
Coupler Code	B	A057					DRAFTSYS
Coupler Code	A	A057					DRAFTSYS
Coupler Style	B	B058	● ▲ ■	P	P - Plain		DRAFTSYS
Coupler Style	A	B058	● ▲ ■	P	P - Plain		DRAFTSYS
Inches of Travel	B	B061	▲ ■				DRAFTSYS
Inches of Travel	A	B061	▲ ■				DRAFTSYS
Draft Gear/Cushion Type	B	B073	● ▲ ■	S	S - Standard Draft Gear		DRAFTSYS
Draft Gear/Cushion Type	A	B073	● ▲ ■	S	S - Standard Draft Gear		DRAFTSYS

YARR0000000214