

Display Unit Report

Equipment ID: LBR 0000020046
Equipment Group: HOPP
Date and Time: 05/11/2017 - 10:47:02 AM EDT

Flags Legend	
Mandatory Value	
ETC-Gen	
Rating	

General

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Status Code	USCD		A	A - ACTIVE	
Mechanical Designation	UMMD		HTS	HTS - Hopper-Specially Equipped, 3 or more Compartments, Doors Hinged Crosswise, Dumping Between Rails	
Equipment Type Code	UMET		K345	K345	
Built Date	BLDT		19930501	05/01/1993	
Rebuilt / ILS Date	RBDT				
Owner	UMOW		SKRX	SKRX	
Lessee	LESE		NBER	NBER	
Maintenance Party	MNPT		SKRX	SKRX	
Mark Owner Category	B201		V	V - US Class III Railroad	
Prior Equipment ID	PRID		NSHR0000020046	NSHR0000020046	
Last Update Date	B122		20160802	08/02/2016	
Equipment Add Date	B082		20130501	05/01/2013	
Status Change Reason	USCR		M	M - Movement	
Status Change Date	USCT		20130530	05/30/2013	
Extended Service	A096		E	E - Built new from July 1, 1974, Qualified for 50 Years Service	
End of Service Date	B078		20430501	05/01/2043	
Equipment Identification	EINN		0001446766	0001446766	
Info Conflict Status	B355				
Conflict Status	B050				
Date of Original Conflict	B063				
Next Conflict Status	B135				
Notice Indicator	B137				
Conflict Status Next Date	B062				
Rate Indicator	A070		M	M - Railroad Market Rate	
Private Zero Rate	B150				
First Movement Date	USAT		20130521	05/21/2013	
Equipment Add Company	B083				
Registration Reason	B174				
Restencil Program Ind	B177				
Non-Compliant Wheelsets	B544				

Weight

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Gross Rail Load/Weight	A266		286000	286000 lb	
Tare Weight	A259		64800	64800 lb	
Load Limit	LDLT		221200	221200 lb	
Weighing Status	A289		A	A - Actual	
Weighing Date	A288		19930823	08/23/1993	
Cubic Feet Capacity	A067		3585	3585 cuft	
Star Code	A247				
Qual for Inc GRL	B344		2	2 - Rule 88 IGRL Code 2 (> 263,000 lbs. and <= 286,000 lbs. GRL)	

Dimension

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Plate Code	A046		B	B - Plate Code B	
Outside Length	OSLG		585	48 ft 9 in	
Outside Extreme Width	A186		127	10 ft 7 in	
Outside Extreme Height	A185		151	12 ft 7 in	
Outside Height Extr Width	A187		151	12 ft 7 in	
Outside Upper Eaves Width	A194		127	10 ft 7 in	
Outside Upper Eaves Hght	A193		151	12 ft 7 in	
Outside Lower Eaves Width	A190				
Outside Lower Eaves Hght	A189				
Truck Center Length	A276		434	36 ft 2 in	

Specification

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Truck Count	B256		2	2	
Axle Count	A024	● □	4	4	
Wheel Bearing Type	B191	● □	R	R - Roller	
Bearing Shielded From HBD	B021				
Brake Shoe Type	B026	●	H	H - High Friction Composite	
CC Side Bearing Type	A146				
Empty/Load Device Eqpd	B075				
Body Material	A030		19	19 - Standard Steel	
Center Of Gravity Empty	A045				
Remote Monitoring Device	B176				
AEI High Temperature Tag	B006				
Compartment Count	A052		1	1	
Degree of Slope Sheets	A071		30	30 deg	
Unloading System Type	B220	▲			
Auto Unload Device Equip	B224				
Vibrator Bracket Equipped	B223				
Light Density	B124	▲			
Connected Unit Count	A020	□			
Intermediate Conn Style	B115				
Operating Brakes	A182				
ECP Brake Type	B327				
ECP Brake Builder	B328				
Slack Adjuster Group	B538				
Brake Cylinder Mount Type	B540				
Equipment Builder	A035				
Builder Lot Code	B030				
Built Country	B031				
Rebuilt Country	B170				
FRA Reflectorization	B096				
Bottom Outlet Count	B142		3	3	
Air Hose Arrangement	B524				
4-Port ABT Receiver Eqpd	B539				

Feature

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Lining Material	A158		28	28 - Unlined	
Roof Type	A226				

Cost

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Original Cost	A184		10000	10000 usd	
Ledger Value	A150		10000	10000 usd	
Total A&B	A003				
Ind for Pos/Neg Total A&B	A128				

Car Management

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Pool Number	P001	□	4440001	4440001	
Pool Control	TCPC		R	R	
User Routing Instructions	TCUR				
Umler Transportation Code	TCOD		R	R	
Transportation Cond Code	TCCD				
Mechanical Restriction	TCME				
Mech Restriction Reason	TCMR				
Sys Gen Routing Inst	TCGR				

Train Service

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Restricted Speed Empty	B180				
Restricted Speed Loaded	B181				
Shove Car To Rest	B189				
Shove Adj. Car To Rest	B188				

Train Position Sensitive	B211				
End of Train Only	B277				
Check Trailing Tonnage	B044				
Curve Negotiate Exception	B178				
Cooper Rating Exception	B273				
Clearance Exception	B275				

Miscellaneous

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Commercial Owner CIF	B049				
Commercial Lessee CIF	B048				
Umler Effective Date	EFDT		20130601	06/01/2013	

Inspection Due Dates

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
ABT Due Date	DU13		20130710	07/10/2013	
ABT 5-8 Year Due Date	DU58		20170701	07/01/2017	

Inspection Air Brake Test (ABT)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Inspection Date Done	DTDN		20120710	07/10/2012	
Inspection Performer	PERF		DH	DH	
Inspection Reporter	REPT		DH	DH	
Location/SPLC	SPLC		187250000	187250000	

Inspection Reflectorization Event (REF)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Inspection Date Done	DTDN		20080512	05/12/2008	
Inspection Performer	PERF		BPRR	BPRR	
Inspection Reporter	REPT		BPRR	BPRR	
Location/SPLC	SPLC		185400003	185400003	

Component Flat View

Element Name	Loc	ID	Flags	DB Value	Formatted Value	Conflict	Comp.
Axle Spacing Distance	01	B020	● ●	70	70 - 70 Inches in		AXLESPACE
Axle Spacing Distance	02	B020	● ●	70	70 - 70 Inches in		AXLESPACE
Truck Axle Count	B	B252	●	2	2		TRUCK
Truck Axle Count	A	B252	●	2	2		TRUCK
Journal Size	B	A147	● ●	F	F - 6-1/2 X 12		TRUCK
Journal Size	A	A147	● ●	F	F - 6-1/2 X 12		TRUCK
Wheel Diameter	B	A294	● ●	36	36 - 36 Inches		TRUCK
Wheel Diameter	A	A294	● ●	36	36 - 36 Inches		TRUCK
Stability Device Equipped	B	B199	■	Y	Y - Yes		TRUCK
Stability Device Equipped	A	B199	■	Y	Y - Yes		TRUCK
Coupler Code	B	A057		SBE60DC	SBE60DC - Type E (Rule 16) - SBE60DC		DRAFTSYS
Coupler Code	A	A057		SBE60DC	SBE60DC - Type E (Rule 16) - SBE60DC		DRAFTSYS
Coupler Style	B	B058	● ▲ ■	B	B - Bottom Shelf		DRAFTSYS
Coupler Style	A	B058	● ▲ ■	B	B - Bottom Shelf		DRAFTSYS
Inches of Travel	B	B061	■				DRAFTSYS
Inches of Travel	A	B061	■				DRAFTSYS
Draft Gear/Cushion Type	B	B073	● ●	S	S - Standard Draft Gear		DRAFTSYS
Draft Gear/Cushion Type	A	B073	● ●	S	S - Standard Draft Gear		DRAFTSYS